



The Project









Gerda Koch/AIT: tech coordinator



The Content



















- LinBi focuses on biodiversity content
- LinBi brings together research and the general public and provides new ways of using biodiversity content
- LinBi items processed by OpenUp! natural history aggregator for Europeana



Linking Biodiversity














http://linbi.ait.co.at/linbi-enrichment-platform

In LinBi the data owners enrich their data and provide it for OpenUpl

The OpenUp! transformation routine checks for enriched records in the LinBi platform and takes them up.

OpenUp! provides the enriched records for Europeana.

Europeana harvests the OpenUp! OAI provider endpoints.

Europeana publishes the data on Europeana collections



1 CLUSTER

Europeana Search

My Baskets Enrichment Tool

My Items







Tradition and beauty - early-flowering plants from bulbs in botany and arts

Exception have always been harround by flower tails and flots regardfloor blooms, bloomada, when tails observed Datin meritorial arters to what purdower of today. Forest both force been relitant for contacts, and a large contact of spring person and hardest and percentage Characterise for their resultable leasts and special fragraces, these himstall states are covered places for gardeness and collecture. Seven that the becomes more halfor from which the Laverrapping reserving data leave dumps he must of the year, it seems marginals when such leaves better emerges. In territorial terms, a bull to atrust and a short stem with finding beaver or loof laters which floor has not find attribute loggers their or discussion. A halfel ind have containfued severes to enable the pixel to corresp adverse conditions. Bullets pixel species syste timegh regetation and regardantitive growth reason that may have mater different abuses; the balks proving Severing size sharing the reputative stage and the plants these during the reproductive stage. The transition from one stage to sention in triggered by environmental conditions, such as the charge from a cold winter to a reserver spring. Once the florening period is over, the plant enters the important follows period - during the cent are seeded, the plant absorbs natriants from the and and report from the east in order to prepare for next year's production of flowers. Bullet day up after the completion of the foliage period can be exally showd and will bloom again the following war. In this charins beautiful manples of favors here halls are collected, spaceing about 400 years of Enter collections. These counts natural detail directors, partition, commencings, burkering about, phone and foreign.

2 5 4 5 500

Owner: Perulbirge Saldjack, 11-

Made tesperatesses Morarck Carden and Returns (Dississes Bertin Charen-

249 Items



Prittillaria hirpanica mebelifera Fredheia Salica Core lutes popularienza, Teliffique pyrouna flow visidi migricular, Potificate lates promoteta frontillaria fiore: cames, Juitifiaria floor allow

Bed Justin Betanio Stated KIB-CHI



Fritillaria sessonia Possel Repail Between Facinities, Eye-Pritiflaria tubibareas is moggatelest.

(oberest Fittillaria mintera Index Nones to Nata

Pritillants and ought (abstrack-lig

wherety fythillasts many eller










Name the segment by writing in the field.



Enhanced List of Web Resources





Process Steps:

Media Sources Selection


Media Segment Creation

Media Segment Description

Save as a new Web Resource











Re-use & Access Platform









Virtual Exhibitions in Europeana









Where we stand today....



- 1.5 Mio. content delivered to Europeana
 - 3 Virtual Exhibitions
 - New vocabularies integrated
 - Connected/enriched content created
- Dedicated new media content produced
 - Easy re-use access set up and tested



